DocuSign Envelope ID: 0DE4AAB3-EACC-4CBA-90E0-52872C4AC1D6

Santé LABORATORIES

# CERTIFICATE OF ANALYSIS

**STATUS**: RELEASED **REVISION**: 00
**DATE**: 06/04/2021



| CUSTOMER INFORMATION | SAMPLE INFORMATION |
|---|---|
| **Company Name:** | **Submitted Sample Name:** |
| Kats Botanicals | Kratom Leaf Powder |
| **Address:** | **Submitted Sample Lot:** |
| 6300 N Andrews Ave #297; Fort Lauderdale, FL 33309 | 0001336 |
| **Phone Number:** | **Submitted Sample Description:** |
| (877) 301-9923 | Green Powder in Sealed, Plastic Bag; Stored at Room Temp |
| **Contact Name / Email:** | **Submitted Sample Product Type / Matrix:** |
| N/A | Kratom Plant Matter / Leaf Powder |

**ALKALOIDS ASSAY**

| Analysis | Test Method | LOQ | Specifications | Test Results | Pass / Fail |
|---|---|---|---|---|---|
| Mitragynine | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | 1.266 w/w%<br>12.656 mg/g | Results Reported |
| Paynantheine | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | 0.243 w/w%<br>2.433 mg/g | Results Reported |
| Speciogynine | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | 0.148 w/w%<br>1.476 mg/g | Results Reported |
| Speciociliatine | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | 0.354 w/w%<br>3.538 mg/g | Results Reported |
| 7-OH-Mitragynine | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only<br>% Total Alkaloids: NMT 2% | < 0.01% | PASS |
| Mitraphylline | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | < 0.01% | Results Reported |
| Isorhynchophylline | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | < 0.01% | Results Reported |
| Total Alkaloids | UHPLC-DAD | 0.01 w/w% | w/w%: Report Only<br>mg/g: Report Only | 2.010 w/w%<br>20.102 mg/g | Results Reported |

**HEAVY METALS**

| Analysis | Test Method | LOQ | Specifications | Test Results | Pass / Fail |
|---|---|---|---|---|---|
| Lead | USP <232> <233> by ICP-MS | 10 ppb | NMT 1,000 ppb | 392.3 ppb | PASS |
| Mercury | USP <232> <233> by ICP-MS | 5 ppb | NMT 500 ppb | 23.9 ppb | PASS |
| Cadmium | USP <232> <233> by ICP-MS | 10 ppb | NMT 300 ppb | 21.0 ppb | PASS |
| Arsenic | USP <232> <233> by ICP-MS | 10 ppb | NMT 1,500 ppb | 358.9 ppb | PASS |
| Nickel | USP <232> <233> by ICP-MS | 10 ppb | NMT 200,000 ppb | 1,701.9 ppb | PASS |


This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 0DE4AAB3-EACC-4CBA-90E0-52872C4AC1D6

# CERTIFICATE OF ANALYSIS

**STATUS**: RELEASED **REVISION**: 00
**DATE**: 06/04/2021



**MICROBIOLOGICAL ASSAY**

| Analysis | Test Method | LOQ | Specifications | Test Results | Pass / Fail |
|---|---|---|---|---|---|
| Total Aerobic Plate Count (TAPC) | Isolation Agar | 20 CFU/gm | NMT 10,000,000 CFU/gm | 47,067 CFU/gm | PASS |
| Total Yeast & Mold (TYM) | Isolation Agar | 20 CFU/gm | NMT 100,000 CFU/gm | 16,000 CFU/gm | PASS |
| Coliforms | Isolation Agar | 20 CFU/gm | NMT 10,000 CFU/gm | 420 CFU/gm | PASS |
| Escherichia coli (E.coli) | Isolation Agar | 1 CFU/10 gm | Absent in 10 gm | Absent | PASS |
| Salmonella | Isolation Agar | 1 CFU/25 gm | Absent in 25 gm | Absent | PASS |

| TESTING FACILITY INFORMATION | SAMPLE INFORMATION |
|---|---|
| **Santé Laboratories**<br>8201 East Riverside Drive, STE 650<br>Austin, Texas 78744 USA | **Santé Sample ID:** 211613<br>**Receipt Date:** 05/28/2021 / 10:30 AM CST / S. ORTEGA<br>**Receipt Condition:** Good **Analysis Start Date:** 05/28/2021 |

**ADDITIONAL REPORT NOTES**

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. **Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).**
©2020 Santé Laboratories, LLC – All Rights Reserved

**VERSION HISTORY**

| Version | Effective Date | Summary of Changes |
|---|---|---|
| 00 | 06/04/2021 | Initial Release |

**PRODUCT SAMPLE / IMAGE**




**REVIEWED AND APPROVED BY**

DocuSigned by:
Brian Sloat
1DA7685D65C740B...

6/4/2021
*DD-MM-YY*

**Brian Sloat, Ph.D.**
Chief Scientific Officer / Quality Manager
Santé Laboratories

Date


This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.