DocuSign Envelope ID: 328B6D33-C4CB-4CA1-B368-F1BC14301C0A

Santé LABORATORIES

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 06/17/2022

Analysis ID No. 222581
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20220721
Page No. Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	**Submitted Sample Name:**
Kat's Botanicals	Kratom Powder
Address:	**Submitted Sample Lot:**
6300 N. Andrews Avenue #297, Fort Lauderdale, FL 33309	0002062
Phone Number:	**Submitted Sample Description:**
877-301-9923	Green Powder in Plastic Bag w/ Zip Tie; Stored at Rm Temp
Contact Name / Email:	**Submitted Sample Product Type / Matrix:**
N/A	Kratom Plant Matter / Powder

ALKALOIDS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.228 w/w% 12.275 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.259 w/w% 2.588 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.167 w/w% 1.665 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.491 w/w% 4.907 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	0.012 w/w% 0.123 mg/g 0.54% of Total	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.036 w/w% 0.364 mg/g	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.079 w/w% 0.794 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.272 w/w% 22.716 mg/g	Results Reported

MICROBIOLOGICAL ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	4,970 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	30 CFU/gm	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 328B6D33-C4CB-4CA1-B368-F1BC14301C0A

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 06/17/2022

Analysis ID No. 222581
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20220721
Page No. Page 2 of 2

HEAVY METALS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.000 mcg/g	0.357 mcg/g	PASS
Mercury	USP <232> <233> by ICP-MS	0.005 mcg/g	NMT 0.500 mcg/g	0.019 mcg/g	PASS
Arsenic	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.500 mcg/g	0.234 mcg/g	PASS
Cadmium	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 0.300 mcg/g	0.029 mcg/g	PASS
Nickel	USP <232> <233> by ICP-MS	0.05 mcg/g	NMT 200.000 mcg/g	3.851 mcg/g	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	**Santé Sample ID:** 222581 **Receipt Date:** 06/10/2022 / 1:50 PM / S Clark **Receipt Condition:** Good **Analysis Start Date:** 06/13/2022

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. **Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).**
©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY

Version	Effective Date	Summary of Changes
00	06/17/2022	Initial Release

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

DocuSigned by:
Brian Sloat
1DA7685D65C740B...

17 June 2022 | 4:59:25 PM PDT
DD-MM-YY

Brian Sloat, Ph.D.
Chief Scientific Officer / Quality Manager
Santé Laboratories

Date

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.