DocuSign Envelope ID: 9F2B76EC-D2BD-4A8B-93C5-4DC52223322B

Santé LABORATORIES

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 12/02/2022

Analysis ID No. 225221
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221430

CUSTOMER INFORMATION	SAMPLE INFORMATION
Client Name:	**Submitted Sample Name:**
Kat's Botanicals	Kratom Powder
Address:	**Submitted Sample Lot:**
6300 N Andrews Avenue #297, Fort Lauderdale, FL 33309	0002359
Phone Number:	**Submitted Sample Description:**
877-301-9923	Green Powder in Clear Resealable Bag w/ Zip Tie; Stored at RT
Contact Name / Email:	**Submitted Sample Product Type / Matrix:**
Mike Greenberg	Kratom Powder / Plant Matter

ALKALOIDS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.965 w/w% 9.649 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.218 w/w% 2.182 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.170 w/w% 1.696 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.218 w/w% 2.176 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.031 w/w% 0.306 mg/g	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.601 w/w% 16.009 mg/g	Results Reported

MICROBIOLOGICAL ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	4,000 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 9F2B76EC-D2BD-4A8B-93C5-4DC52223322B

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 12/02/2022

Analysis ID No. 225221
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221430

HEAVY METALS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
Lead	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.250 mcg/g	0.473 mcg/g	PASS
Mercury	USP <232> <233> by ICP-MS	0.005 mcg/g	NMT 0.200 mcg/g	0.020 mcg/g	PASS
Arsenic	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.000 mcg/g	0.301 mcg/g	PASS
Cadmium	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 0.400 mcg/g	0.034 mcg/g	PASS
Nickel	USP <232> <233> by ICP-MS	0.05 mcg/g	NMT 20.000 mcg/g	2.660 mcg/g	PASS


TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	**Santé Sample ID:** 225221 **Receipt Date:** 11/23/2022 / 10:00 AM CST / A. Buskulic **Receipt Condition:** Good **Analysis Start Date:** 11/28/2022

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. **Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).**
©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	**Effective Date**	**Summary of Changes**
00	12/02/2022	Initial Release

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

DocuSigned by:
Brian R. Sloat
89DC8DE7BF234E8...

02 December 2022 | 3:20:19 PM PST
DD-MM-YY

Brian Sloat, Ph.D.
Chief Scientific Officer / Quality Manager
Santé Laboratories

Date

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.