DocuSign Envelope ID: 6B9E0C37-C114-4995-9518-25937EC4BC96

Santé LABORATORIES

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 10/28/2022

Analysis ID No. 224833
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221324
Page No. Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Client Name:	**Submitted Sample Name:**
Kats Botanicals	Kratom Leaf Powder
Address:	**Submitted Sample Lot:**
6300 N. Andrews Ave #297, Ft. Lauderdale, FL 33309	208355PMDP
Phone Number:	**Submitted Sample Description:**
203-671-0370	Green Powder in Clear Plastic Bag w/ Twist Tie; Stored at RT
Contact Name / Email:	**Submitted Sample Product Type / Matrix:**
Mike Greenberg / mike@katsbotanicals.com	Kratom Powder / Plant Matter

ALKALOIDS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.521 w/w% 15.205 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.280 w/w% 2.803 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.218 w/w% 2.180 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.426 w/w% 4.263 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.445 w/w% 24.451 mg/g	Results Reported

MICROBIOLOGICAL ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	90 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 6B9E0C37-C114-4995-9518-25937EC4BC96

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 10/28/2022

Analysis ID No. 224833
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221324
Page No. Page 2 of 2

HEAVY METALS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1000 ppb	337.6 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	19.4 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1500 ppb	419.2 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	29.9 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 200,000 ppb	2,054.4 ppb	PASS


TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	**Santé Sample ID:** 224833 **Receipt Date:** 10/21/2022 / 1:40 PM CST / J. Leiva **Receipt Condition:** Good **Analysis Start Date:** 10/24/2022

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. **Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).**
©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	**Effective Date**	**Summary of Changes**
00	10/28/2022	Initial Release

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

DocuSigned by:
Brian R. Sloat
09DC0DE7BF234E8...

28 October 2022 | 10:55:06 PM PDT *DD-MM-YY*

Brian Sloat, Ph.D.
Chief Scientific Officer / Quality Manager
Santé Laboratories

Date

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.