Certificate of Analysis

CUSTOMER INFORMATION

Client Name: Kats Botanicals
Address: 619 Old Hickory Blvd
Old Hickory, TN 37138
Phone Number: (877) 301-9923

TESTING FACILITY

Cora Science, LLC
8000 Anderson Square, STE 113
Austin, Texas 78757
(512) 856-5007
info@corascience.com

SAMPLE IMAGE(S)



JOB / SAMPLE INFORMATION

Received: 10 MAY 2023
Condition: Good
Job ID: ISO01236
Sample ID: I01701
Sample Name: Kratom Powder
Lot 0002633
Description: Finely ground plant material
Completed: 14 MAY 2023
Issued: 16 MAY 2023

TEST RESULT(S)

Mitragyna Alkaloids Assay (UHPLC-DAD) — Method Code: T102 — Tested: 12MAY2023 | 1239

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.52	w/w%	0.021	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.021	N/A
Paynantheine	Report Results	0.274	w/w%	0.021	N/A
Speciogynine	Report Results	0.255	w/w%	0.021	N/A
Speciociliatine	Report Results	0.520	w/w%	0.021	N/A
Total Mitragyna Alkaloids	Report Results	2.57	w/w%	0.021	N/A

Elemental Impurities (ICP-MS) — Method Code: T301 — Tested: 12MAY2023 | 1306

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.0	0.17	ug/g	0.045	PASS
Cadmium	NMT 0.4	0.082	ug/g	0.009	PASS
Lead	NMT 1.25	0.33	ug/g	0.009	PASS
Mercury	NMT 0.2	0.031	ug/g	0.009	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Microbiological Examination		Method Code:	T005	Tested:	12MAY2023 I 1222
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	170	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	40	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

ADDITIONAL REPORT NOTES

T301 performed by a registered outsourcing facility. Specifications provided by client.

REVISION HISTORY

rev00	Initial release.
rev01	Amended client address.

This report has been authorized for release from Cora Science by:

Signature: Tyler West **Department:** Management

Name: Tyler West, Laboratory Director **Date:** 16 MAY 2023

ABBREVIATIONS

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.