Certificate of Analysis

Customer Information

Client: Kats Botanicals
Attention: mike@katsbotanicals.com
Address: 750 Hickory Industrial
Old Hickory, TN 37138

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: KB-623-TPS
Lot Number: 623352ATWP
Description: Finely ground plant material
Condition: Good
Job ID: ISO02383
Sample ID: I05691
Received: 13AUG2024
Completed: 20AUG2024
Issued: 20AUG2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD) **Method Code: T102** **Tested: 20AUG2024 | 0151**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.15	w/w%	0.011	N/A
7-Hydroxymitragynine	Report Results	0.004	w/w%	0.003	N/A
Paynantheine	Report Results	0.227	w/w%	0.011	N/A
Speciogynine	Report Results	0.174	w/w%	0.011	N/A
Speciocilatine	Report Results	0.379	w/w%	0.011	N/A
Total Mitragyna Alkaloids	Report Results	1.93	w/w%	0.011	N/A

Elemental Impurities (ICP-MS) **Method Code: T301** **Tested: 19AUG2024 | 1623**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.0	0.198	ug/g	0.0060	PASS
Cadmium	NMT 0.5	0.0139	ug/g	0.0020	PASS
Lead	NMT 5.0	0.855	ug/g	0.0020	PASS
Mercury	NMT 0.2	0.00885	ug/g	0.0020	PASS

Microbiological Examination **Method Code: T005** **Tested: 15AUG2024 | 1230**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	1,020	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	130	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature: 

Name: Tyler West

Position: Laboratory Director

Department: Management

Date: 20AUG2024

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.