Certificate of Analysis

Customer Information

Client: Kats Botanicals
Attention: mike@katsbotanicals.com
Address: 750 Hickory Industrial
Old Hickory, TN 37138

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: KBE-663-TPS
Lot Number: 663346SWMDP
Description: Blended botanical extract and plant material
Condition: Good
Job ID: ISO02864
Sample ID: I07216
Received: 25NOV2024
Completed: 29NOV2024
Issued: 04DEC2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD) **Method Code: T102** **Tested: 29NOV2024 | 1919**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	3.30	w/w%	0.011	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.003	N/A
Paynantheine	Report Results	0.514	w/w%	0.011	N/A
Speciogynine	Report Results	0.372	w/w%	0.011	N/A
Speciociliatine	Report Results	0.461	w/w%	0.011	N/A
Total Mitragyna Alkaloids	Report Results	4.65	w/w%	0.011	N/A

Residual Solvents: Class I (GC-MS) **Method Code: T201** **Tested: 28NOV2024 | 0508**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.4	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.2	PASS
Benzene	NMT 2	<LOQ	ug/g	0.1	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS) **Method Code: T201** **Tested: 28NOV2024 | 0508**

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	94	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	20.5	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	30	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	93.5	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	93.5	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	36	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	194	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	59	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	19	PASS
Toluene	NMT 890	<LOQ	ug/g	44.5	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	18	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	108.5	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	108.5	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	108.5	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	3.5	PASS
Hexane	NMT 290	<LOQ	ug/g	14.5	PASS
Nitromethane	NMT 50	<LOQ	ug/g	2.5	PASS
Chloroform	NMT 60	<LOQ	ug/g	3	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	4	PASS
Pyridine	NMT 200	<LOQ	ug/g	10	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	2.5	PASS
Tetralin	NMT 100	<LOQ	ug/g	5	PASS

Residual Solvents: Class III (GC-MS) **Method Code: T201** **Tested: 28NOV2024 | 0508**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS

Elemental Impurities (ICP-MS) **Method Code: T301** **Tested: 27NOV2024 | 1545**

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.094	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.013	ug/g	0.002	PASS
Mercury	NMT 0.20	0.004	ug/g	0.002	PASS
Lead	NMT 5.00	0.441	ug/g	0.002	PASS

Microbiological Examination **Method Code: T005** **Tested: 26NOV2024 | 1353**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	4,213	CFU/g	20 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	360	CFU/g	20 CFU / g	PASS
Total Coliforms	10,000 CFU / g	20	CFU/g	20 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 25 g	Not Detected	N/A	1 CFU / 25 g	PASS

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature: Tyler West

Name: Tyler West

Position: Laboratory Director

Department: Management

Date: 04DEC2024

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.