Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124

CUSTOMER:

Kats Botanicals
750 Hickory Industrial Dr.
Old Hickory, TN 37138



SAMPLE INFORMATION

Sample No.: 1296596
Product Name: Kats - Bali 45 - 125mg Natural
Lot #: 1190

Date Collected: 04/11/2025
Date Received: 04/14/2025
Date Reported: 07/03/2025

TEST SUMMARY

Microbiological Screen:	Tested	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Alkaloid Profile Limited:**	Tested
Overall:	Pass		

Microbiological Screen

04/24/2025

Method: FDA BAM

Analyte	Findings	Units
Coliforms	<10	cfu/g
E. coli	<10	cfu/g
Yeast	<10	cfu/g
Mold	<10	cfu/g

Residual Solvent Screen Pass

04/18/2025

Method: USP <467>

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Heavy Metal Screen Pass

04/21/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Intake (µg/day)	Limit (µg/day)	Status
Arsenic	0.02/0.05	ND	ND	10	Pass
Cadmium	0.02/0.05	ND	ND	4.1	Pass
Lead	0.02/0.05	ND	ND	10	Pass
Mercury	0.02/0.05	ND	ND	2	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

anresco LABORATORIES since 1943

Certificate of Analysis

Alkaloid Profile Limited

04/18/2025

Method: MF 12D030

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Quantitation Alkaloid Profile Limited (LC-DAD) 0.1 mg/g

Limit of Detection 0.04 mg/g

Limit of Quantitation 0.1 mg/g

Alkaloid	mg/g	%	mg/ml
Mitragynine	12.40	1.240	13.06
7-Hydroxymitragynine	ND	0.0	ND
Total Alkaloids	12.40	1.240	13.06

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

ANRESCO, INCORPORATED INCORPORATED OCTOBER 1 1978 CALIFORNIA

Amanda Eisenberg
Compliance Rep

July 03, 2025

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.