DocuSign Envelope ID: 661CD1B9-7395-4CCE-A385-83075F7F1744

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION:** 00
DATE: 04/03/2024

Analysis ID No. 240512
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20240132
Page No. Page 1 of 5

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	**Submitted Sample Name:**
Kats Botanicals	Kratom Leaf Powder with Extract
Address:	**Submitted Sample Lot:**
750 Hickory Industrial Drive, Old Hickory, TN 37138	516198RGEC
Phone Number:	**Submitted Sample Description:**
877-301-9923	Green Powder in White Resealable Bag; Stored at RT
Contact Name / Email:	**Submitted Sample Product Type / Matrix:**
Not Provided	Kratom Leaf Powder / Plant Matter

ALKALOIDS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.163 w/w% 21.631 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.248 w/w% 2.483 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.208 w/w% 2.079 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.319 w/w% 3.187 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.938 w/w% 29.380 mg/g	Results Reported

MICROBIOLOGICAL ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	760 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 661CD1B9-7395-4CCE-A385-83075F7F1744

HEAVY METALS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
Lead	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.250 mcg/g	0.785 mcg/g	PASS
Mercury	USP <232> <233> by ICP-MS	0.005 mcg/g	NMT 0.200 mcg/g	0.016 mcg/g	PASS
Arsenic	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 1.000 mcg/g	0.184 mcg/g	PASS
Cadmium	USP <232> <233> by ICP-MS	0.01 mcg/g	NMT 0.400 mcg/g	0.028 mcg/g	PASS
Nickel	USP <232> <233> by ICP-MS	0.05 mcg/g	NMT 20.000 mcg/g	3.446 mcg/g	PASS

RESIDUAL SOLVENTS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
1,1-Dichloroethene	USP <467> by GC-MS	0.020 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	3.75 ppm	NMT 1,500 ppm	< LOQ	PASS
1,2-Dichloroethane	USP <467> by GC-MS	0.013 ppm	NMT 5 ppm	< LOQ	PASS
Benzene	USP <467> by GC-MS	0.005 ppm	NMT 2 ppm	< LOQ	PASS
Carbon tetrachloride	USP <467> by GC-MS	0.010 ppm	NMT 4 ppm	< LOQ	PASS
1,2-dichloroethene (E,Z)	USP <467> by GC-MS	4.675 ppm	NMT 1870 ppm	< LOQ	PASS
1,2-Dimethoxyethane	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,2,3,4-tetrahydronapthalene	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,4-Dioxane	USP <467> by GC-MS	0.95 ppm	NMT 380 ppm	< LOQ	PASS
2-Hexanone	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
4-methyl-2-pentanone	USP <467> by GC-MS	12.5 ppm	NMT 4,500 ppm	< LOQ	PASS
Acetonitrile	USP <467> by GC-MS	1.025 ppm	NMT 410 ppm	< LOQ	PASS
Chlorobenzene	USP <467> by GC-MS	0.9 ppm	NMT 360 ppm	< LOQ	PASS
Chloroform	USP <467> by GC-MS	0.15 ppm	NMT 60 ppm	< LOQ	PASS
Cumene	USP <467> by GC-MS	0.175 ppm	NMT 70 ppm	< LOQ	PASS
Cyclohexane	USP <467> by GC-MS	9.7 ppm	NMT 3,880 ppm	< LOQ	PASS
Dichloromethane	USP <467> by GC-MS	1.5 ppm	NMT 600 ppm	< LOQ	PASS
Ethylbenzene	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Hexane, n-	USP <467> by GC-MS	0.725 ppm	NMT 290 ppm	< LOQ	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 661CD1B9-7395-4CCE-A385-83075F7F1744

RESIDUAL SOLVENTS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
Methanol	USP <467> by GC-MS	7.5 ppm	NMT 3,000 ppm	< LOQ	PASS
Methylcyclohexane	USP <467> by GC-MS	2.95 ppm	NMT 1,180 ppm	< LOQ	PASS
Nitromethane	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
Pyridine	USP <467> by GC-MS	0.50 ppm	NMT 200 ppm	< LOQ	PASS
Tetrahydrofuran	USP <467> by GC-MS	1.8 ppm	NMT 720 ppm	< LOQ	PASS
Toluene	USP <467> by GC-MS	2.225 ppm	NMT 890 ppm	< LOQ	PASS
Trichloroethene	USP <467> by GC-MS	0.20 ppm	NMT 80 ppm	< LOQ	PASS
Xylene, m-	USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, o-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Xylene, p-	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
1-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Pentanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
1-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Butanone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-methyl-1-propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
2-Propanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
3-methyl-1-butanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Acetone	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Anisole	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethanol	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Ethyl formate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 661CD1B9-7395-4CCE-A385-83075F7F1744

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION**: 00
DATE: 04/03/2024

RESIDUAL SOLVENTS ASSAY					
Analysis	**Test Method**	**LOQ**	**Specifications**	**Test Results**	**Pass / Fail**
Heptane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isobutyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isopropyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Methyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
N,N-Dimethylsulfoxide	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Pentane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
t-Butyl Methyl Ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, iso-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propane	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	**Santé Sample ID:** 240512 **Receipt Date:** 03/29/2024 / 11:48 AM CST /G. Hellinghausen **Receipt Condition:** Good **Analysis Start Date:** 03/29/2024

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. **Heavy metal specifications according to limits provided by Customer. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).**
©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY		
Version	**Effective Date**	**Summary of Changes**
00	04/03/2024	Initial Release

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.

DocuSign Envelope ID: 661CD1B9-7395-4CCE-A385-83075F7F1744

CERTIFICATE OF ANALYSIS

STATUS: RELEASED **REVISION**: 00
DATE: 04/03/2024

Analysis ID No.	240512
TDA License No.	2020002
ISO/IEC No.	1055838
Purchase Order:	20240132
Page No.	Page 5 of 5

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

DocuSigned by:
Yvonne Rivera
E49DDA845186484...

Yvonne Rivera
Data Management Specialist
Santé Laboratories

03 April 2024 | 2:58:37 PM PDT
Date

This report may not be reproduced, except in full, without the permission of Santé Laboratories, LLC.