Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

CUSTOMER	Kats Botanicals 750 Hickory Industrial Drive Old Hickory TN 37138, Phone: 203-671-0370 Email: mike@katsbotanicals.com;
SAMPLE DESCRIPTION	805203GMDP
SAMPLE DATE	6/18/2025
DATE RECEIVED	6/23/2025
REFERENCE NUMBER	2029941: 2534994 **Customer PO**
TEMPERATURE AT RECEIVING	



Test Requested	Test Method		Results	Ref Number	Start Date
Kratom P3					
7 Hydroxymitragynine	Analyst: 55		<0.01 %	20152:111	6/23 3:59 PM
Mitragynine	Analyst: 55		1.75 %	20152:111	6/23 3:59 PM
Aerobic Plate Count	^Bam Ch 3 Analyst: 57	Log: 3.6	4500 cfu/g		6/23 2:27 PM
Coliform	^AOAC 991.14 Analyst: 57	Log: <2.0	<100 cfu/g		6/23 2:27 PM
Mold	^Bam Ch18 Analyst: 57	Log: <2.0	<100 cfu/g		6/23 2:27 PM
Salmonella	AOAC 011404 Analyst: 57		Negative/25g		6/23 11:56 AM Kit Lot Number: GDSSL05292435F
Staphylococcus aureus	CMMEF 39.52 Analyst: 57		<3 mpn/g		6/23 2:12 PM
Yeast	^Bam Ch18 Analyst: 57	Log: <2.0	<100 cfu/g		6/23 2:27 PM
E.coli Generic	^AOAC 991.14 Analyst: 57	Log: <2.0	<100 cfu/g		6/23 2:27 PM
Arsenic	Analyst: 45		0.569 mg/kg	20151:97	6/24 8:00 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)
This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by: Audrey Monroe - Laboratory Director Date: 7/3/2025

Date: 7/3/2025

Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

SAMPLE DESCRIPTION	805203GMDP
SAMPLE DATE	6/18/2025
DATE RECEIVED	6/23/2025
REFERENCE NUMBER	2029941: 2534994
Customer PO	
TEMPERATURE AT RECEIVING	



Test Requested	Test Method	Results	Ref Number	Start Date
Cadmium		<0.5 mg/kg	20151:97	6/24 8:00 AM
	Analyst: 45			
Lead		0.568 mg/kg	20151:97	6/24 8:00 AM
	Analyst: 45			
Mercury		<0.19 mg/kg	25F1518-02	7/1 12:00 PM
	Analyst: *212 ID#8001			*Subcontracted EPA 7471B

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)
This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by: Audrey Monroe - Laboratory Director Date: 7/3/2025

Date: 7/3/2025

Alliance Analytical Laboratories Inc.
179 West Randall Street
Suite A
Coopersville, MI 49404

SAMPLE SUBMITTAL FORM

616-837-7670 - Phone
616-837-7701 - Fax

Client Name	P.O Number or Project Identification	Report Data To:
Kats Botanicals - TPS (06/18/2025) STANDARD	TPS USPS 9405511105495821768519	Mike Greenberg Page 1 of 1
Address	**Contact Person**	**Phone and Fax**
750 Hickory Industrial Drive	Mike Greenberg	203-671-0370
City / **State** / **Zip Code**		**email**
Old Hickory / TN / 37138		mike@katsbotanicals.com

Sample Site No. If Applicable	Lot Number	SAMPLE DESCRIPTON	ANALYSIS REQUESTED Use Sample Key	Special Reporting Requirements
KB-TPS	TPS-804-20250618	4993 Kratom Powder	P3 - Standard	
KB-TPS	TPS-805-20250618	4994 Kratom Powder	P3 - Standard	
KB-TPS	TPS-806-20250618	4995 Kratom Powder	P3 - Standard	
KB-TPS	TPS-807-20250618	4996 Kratom Powder	P3 - Standard	
KB-TPS	TPS-808-20250618	4997 Kratom Powder	P3 - Standard	

Analytical Test Request KEY — Please call 616-837-7670 if you require a test not listed

T-1 **Total Aerobic Plate Count**	$18.00	T-6 **Mitragynine**	$80.00
T-2 **E.coli OR Coliform**	$15.00 Each	T-7 **7-Hydroxymitragynine**	$80.00
T-3 **Yeast & Mold**	$18.00	T-8 **Heavy metals**	$115.00
T-4 **Listeria sp.**	$45.00	T-9 **Staphylococcus sp.**	$20.00
T-5 **Salmonella**	$55.00 FDA BAM $35.00 PCR		

PACKAGES

P1 **$120.00**	Total Aerobic Plate Count, E.coli, coliform, Yeast, Mold, Staphylococcus sp, Salmonella
P2 **$230.00**	Mitragynine, 7 hydroxymitragynine, Heavy metals
P3 **$320.00**	Total Aerobic Plate Count, E.coli, coliform, Yeast, Mold, Staphylococcus sp, Salmonella,mitragynine, 7-hydroxymitragynine, and heavy metals

Each sample submitted recieves a $2.00 fee associated with them. Testing packages do not incur this fee.

For Office Use Only:
Date/Time Received 1024 6-21-25 Temp (°F) 76.8 Sample Condition good Initials MP