Certificate of Analysis

Produced: Jun 13, 2025

Sample: Conventional Cordyceps Glycerite (Tincture) • **Client**: Kats Botanicals • **Batch**: Pass



Batch No.: EA051525COG2
Matrix: Tincture
Density: 1.15328 g/ml
Sample ID: ICC-250611-20-002
Collected on: Jun 11, 2025
Received on: Jun 11, 2025
Batch Size:
Sample Size:
Package Size: 38.24 g

Batch Result: Pass

Additives	Tested
Metals	Pass
Microbial	Pass

infiniteCAL

RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Alcohol by Volume (ABV) • Jun 13, 2025

Analyte	Amt (%)	LOD/LOQ
Ethanol	0.800	

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Jun 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	0.0204	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	< LOQ	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Jun 12, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Results Certified By: David Marelius PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 13, 2025

https://lims.tagleaf.com/clientCoas/9f9e990b-5991-4c8b-9a65-8fbe37a279a5