Certificate of Analysis


Customer Information

Client: Kats Botanicals
Attention: mike@katsbotanicals.com
Address: 750 Hickory Industrial
Old Hickory, TN 37138

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: 3015-ISO04005
Lot Number: 3015
Description: Finely ground plant material
Condition: Good
Job ID: ISO05404
Sample ID: I14964
Received: 30OCT2025
Completed: 05NOV2025
Issued: 07NOV2025

Test Results

Moisture Content **Method Code: T505** **Tested: 05NOV2025 | 0821**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Moisture	Report Results	4.88	%	0.1	N/A

7-Hydroxymitragynine Limit (0.04%) **Method Code: 813** **Tested: 05NOV2025 | 0821**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
7-Hydroxymitragynine	NMT 400 PPM	15	ppm	8	PASS

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:
DWB w/w% = (as-received w/w%) ÷ (1 − moisture%/100).

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Authorization

This report has been authorized for release from Cora Science by:

Signature:		**Position:**	Laboratory Director
		Department:	Management
Name:	Tyler West	**Date:**	07NOV2025

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.